



NOTCHKISS & SON'S

# DESCRIPTIVE CATALOGUE

1859. PRICED LIST. 1859.

SHARON VERMONT, CONN.

Sample Room, No. 60 Nassau Street, New York.





57613  
adv 151

HOTCHKISS & SONS'

**DESCRIPTIVE CATALOGUE**

AND

**Price List,**

**SHARON VALLEY,**

**CONNECTICUT.**

---

**NEW YORK SAMPLE-ROOM, NO. 80 BEEKMAN STREET.**

---

**NEW YORK:**

**PRINTED BY J. D. TORREY, 13 SPRUCE STREET.**

**1859.**

# INDEX.

	<i>Page.</i>
Axle Nuts . . . . .	21
Bench Hooks . . . . .	15
Bench Hooks, Screw Adjusting . . . . .	10
Bench Saw Sets . . . . .	10
Bucket Bails . . . . .	24
Bull Rings . . . . .	6
Coffee Mills . . . . .	16
Cotton Hooks . . . . .	11
Curry Combs . . . . .	4, 5
Cylinder Door Bolts . . . . .	11
Door Springs . . . . .	15
Double Mouth Twisted Wire Snaffles . . . . .	19
Fence Staples . . . . .	21
Fifth Wheels for Carriages . . . . .	20
Foot Scrapers . . . . .	11
Gate Hinges . . . . .	15, 16
Gate Latches . . . . .	15
Hand Drills . . . . .	9
Harness Hooks . . . . .	11
Hasps, Hooks and Staples . . . . .	20
Head Stall, and Brass Snaps . . . . .	8
Hooks and Staples . . . . .	21
Leathered Carpet Tacks . . . . .	6
Malleable Garden Rakes . . . . .	22
Malleable Harness Rings . . . . .	8
Malleable Iron Snaffles . . . . .	19
Malleable S. Buggy and Craw Wrenches . . . . .	21
Mill, Circular and Cross-Cut Saw Sets . . . . .	10
Mouse and Rat Traps . . . . .	23
Ox Ball Wrenches . . . . .	6
Ox Bow Pins . . . . .	6
Patent Malleable Sliding Wrench . . . . .	9
Patent Screw Wrench . . . . .	9
Potato Hooks . . . . .	22
Quilt Frame Clamps . . . . .	15
Rein, Halter, Breast and Billett Snaps . . . . .	7, 8
Seat Spindles . . . . .	8
Steelyards, all kinds . . . . .	12, 13, 14
Scissors and Shears . . . . .	11
Spring Balances, . . . . .	14
Twisted Wire Snaffles and Bradoons . . . . .	18, 19
Wagon Jacks . . . . .	15
Well Wheels . . . . .	24
Wardrobe and Hat Hooks . . . . .	11


## TERMS

Six months, payable in New York or Boston funds, or five per cent. discount, for Cash.

---

## NOTICE.

We have opened an office at No. 80 Beekman Street, New York, where we shall be pleased to exhibit samples.

 N. B.—All orders and correspondence to be addressed as heretofore, SHARON VALLEY, CONN.


---

ISAIAH BLOOD, BALLSTON WORKS, SARATOGA Co., N. Y., may be found in the same office.


6-13-77 Beekman 827.50

# HOTCHKISS' PATENT CURRY COMBS.


Which give universal satisfaction, the shell of the comb being formed of one entire piece of sheet metal. The backs and shanks are made of the best malleable iron with rivets and knockers cast solid on the same.


 We would call especial attention to our new pattern four knocker, tight and open back combs.


## Open Back Combs.


00		No. 00—6 bar Iron, malleable iron shanks, per doz. \$0 56 $\frac{1}{4}$
----	---	---


## Two Knocker Combs.


0		" 0—6 bar Iron, malleable iron shanks and knockers, per doz. - - - - 0 75
---	---	---


7		" 1—6 bar Iron, malleable iron shanks and knockers, per doz. - - - - 0 87 $\frac{1}{2}$
---	---	---

7		" 2—6 bar Brass, malleable iron shanks and knockers, per doz. - - - - 1 50
---	---	--


3		" 3—6 bar Tinned, malleable iron shanks and knockers, per doz. - - - - 1 25
---	--	---


8		" 3—8 bar Iron, malleable Iron shanks and knockers, per doz. - - - - 1 00
---	---	---


4		" 4—8 bar Brass, malleable iron shanks and knockers, per doz. - - - - 1 87 $\frac{1}{2}$
---	---	--

3		" 8—8 bar Tinned, malleable iron shanks and knockers, per doz. - - - - 1 50
---	---	---

## Four Knocker Combs.

18		" 16—8 bar Iron, malleable iron shanks and knockers, per doz. - - - - 1 18 $\frac{3}{4}$
----	---	--

17		" 17—8 bar Brass, malleable iron shanks and knockers, per doz. - - - - 2 12 $\frac{1}{2}$
----	---	---

16		" 18—8 bar Tinned, malleable iron shanks and knockers, per doz. - - - - 1 75
----	---	--

### Tight Back Four Knocker Combs.

5



No. 5—6 bar Iron, malleable iron shanks and  
knockers, per doz. - - - - \$1 12½

12 10 6



“ 6—8 bar Iron, malleable iron shanks and  
knockers, per doz. - - - - 1 25

“ 10—8 bar Brass, malleable iron shanks and  
knockers, per doz. - - - - 2 25

“ 12—8 bar Tinned, malleable iron shanks and  
knockers, per doz. - - - - 1 87½

### Heavy Four Knocker, Tight Back:

88 66 55 44



No. 44—8 bar Iron, with trowel shanks and  
handles keyed on, per doz. - \$1 50

### Extra Heavy Four Knocker, Tight Back:


No. 55—8 bar Iron with trowel shanks and  
handles keyed on, per doz. - \$1 75

No. 66—8 bar Tinned, with trowel shanks  
and handles keyed on, per doz. \$2 37½

No. 88—8 bar Brass, with trowel shanks  
and handles keyed on, per doz. \$3 25

### Extra Heavy Four Knocker Open Back:

77 33 22




No. 22—8 bar Iron, with trowel shanks  
and handles keyed on, per doz. \$1 44

No. 33—8 bar Tinned, with trowel shanks  
and handles keyed on, per doz. \$2 12½

No. 77—8 bar Brass, with trowel shanks  
and handles keyed on, per doz. \$3 00

## OX BALL WRENCHES.



For smooth or octagen balls, per doz., \$1 37½

## LEATHERED CARPET TACKS.

6 ounce, per doz. papers,	-	-	-	-	-	-	-	26
8 " "	-	-	-	-	-	-	-	27
10 " "	-	-	-	-	-	-	-	30


## HOTCHKISS' PATENT OX BOW PINS,



Represented by the cut, is too well known to need description ; made of the best malleable iron, and warranted to give perfect satisfaction.

No. 1—Small size for 1½ in. Bows	
per gross, -	\$12 00
" 2—Large size for 2 in. Bows	
per gross, -	12 00

## BULL RINGS.




Per doz.	2	2½	3 inch.
Iron Polished,	\$3 00,	\$3 25,	\$3 50
	2	2½	3 inch.
Copper Polished,	\$6 00,	\$6 50,	\$7 00



# WROUGHT IRON WIRE SNAPS, With Improved Spring Fastenings.

Patented December 14th, 1858.



*The above cut represents the Improved Snap.*

The small cuts in margin represent the different sizes and styles, all of which we now make with the improved fastenings, which are warranted to give satisfaction.

8 9 10


## Wire Rein Snaps.



No. 8 with $\frac{3}{4}$ in. loop, No. 8 wire, per gross, -	\$ 1 66
" 9 " $\frac{7}{8}$ in. " " 8 " " -	1 66
" 10 " 1 in. " " 7 " " -	1 90

6

## Wire Halter Snaps.



No. 6 with $1\frac{1}{4}$ in. loop, per gross, - - -	2 75
--	------

4 3 1 0

## Wire Breast Snaps.



No. 4 with $1\frac{1}{2}$ in. loop, No. 3 wire, per gross, -	3 33
" 3 " $1\frac{3}{4}$ in. " " 3 " " -	3 33
" 1 " $1\frac{3}{4}$ in. " " 1 " heavy " -	4 50
" 0 " $1\frac{3}{4}$ in. " " 0 " extra " " -	5 00

14 15

## Billet Snaps, for Fancy Bridles.



No. 14 with leathers, per gross, - - -	15 50
" 15 without " " - - -	14 50

1

## Patent Malleable Iron Rein Snaps.



No. 1 with $\frac{7}{8}$ in. loop, light pattern, per gross, -	\$1 37 $\frac{1}{2}$
--	----------------------

11

**Malleable Iron Halter.**

No. 11 with 1in. loop, heavy pattern, per gross, \$2 50

12

No. 12 with  $\frac{3}{4}$ in. round eye, per gross, - - \$2 50**Malleable Iron Open Eye.**

For Head Stalls to clench in the ring and snap in  
the bitt, per gross, - - - - \$1 70

**Brass Rein.**

These Snaps are considered a very superior article, combin-  
ing more strength and durability than any other in use—  
the body of the Snap being made from solid sheet brass, and the  
springs from the best cast steel.

Brass Rein Snaps, per gross, - - - - \$4 44


**SEAT SPINDLES.**

No. 1—First quality, per 1000, - - - - \$10 00  
" 2—Second " " - - - - 6 62

**MALLEABLE IRON HARNESS RINGS.**

40, 45, 50, 60, \$1.00, 1.25, 1.50, 2.00, 3.00, 4.50 per gross.  
 $\frac{5}{8}$ ,  $\frac{3}{4}$ ,  $\frac{7}{8}$ , 1,  $1\frac{1}{4}$ ,  $1\frac{1}{2}$ ,  $1\frac{3}{4}$ , 2,  $2\frac{1}{2}$ , 3 inch.  
No. 10, 9, 8, 7, 6, 5, 4, 3, 2, 1 wire gauge.

# Hotchkiss' Patent Self-Adjusting Screw Wrenches.



## WROUGHT IRON BARS.


### BLACK.

10 inch, per dozen, -	\$12 00
12 " " - -	14 00
15 " " - -	24 00

### BRIGHT.

10 inch, per dozen, -	\$14 00
12 " " - -	16 00
15 " " - -	26 00


# HOTCHKISS' PATENT MALLEABLE IRON SLIDING WRENCH.



Designed for a carriage or a mowing machine, in place of the ordinary malleable Wrenches. They adjust one eighth of an inch to the thread.


10 inch per dozen, -	\$ 8 00
12 " " - - - - -	10 00

## HAND DRILL STOCKS.



No. 1—Small size, per dozen, -	\$20 00
" 2—Large size, per dozen, -	24 00

## SCREW ADJUSTING BENCH HOOKS.




Designed for Cabinet makers and Joiners. This Hook is easily and quickly adjusted to any desired point by turning the upright screw in the centre.

No. 1—Bench Hooks per doz. \$2 80

“ 2 “ heavy, “ 3 33


## IMPROVED BENCH SAW SETS.



With Iron body, steel mandril and spiral spring.

Per doz., \$3 33


## MILL, CIRCULAR AND CROSS-CUT SAW SETS.



Per dozen, - - - - - \$9 00.

## CAST STEEL SHEARS AND SCISSORS.

WARRANTED.



No. 14—4½ inch, Pocket, per doz.	- \$ 3 50
“ 13—5 “ “ “	- 3 75
“ 9—6 “ “ “	- 4 00
“ 8—6 “ Points “	- 4 00
“ 11—6½ “ “ “	- 4 50
“ 7—7 “ “ “	- 5 00
“ 5—8 “ “ “	- 6 00
“ 3—9 “ “ “	- 7 00
“ 2—10 “ “ “	- 9 00
“ 4—9 “ Barbers’ “	- 7 00
“ 0—14 “ Paper, “	- 14 00
“ 10—9 “ Trimmers’, “	- 9 00
“ 6—10 “ Trimmers’, “	- 11 00
“ 1—12 “ Tailors’, “	- 14 00

## COTTON HOOKS.

8 inch Cotton Hooks, per dozen	.....\$
9 “ “ “	.....
10 “ “ “	.....
11 “ “ “	.....

## HAT HOOKS.

No. 1—Per Gross.	.....\$2 45
“ 2— “	.....2 45
“ 3— “	.....2 75

## WARDROBE HOOKS.

No. 1—One hole, per gross.	.....50
“ 2—Screw end, “	.....75
“ 3— “ “	.....83

## HARNESS HOOKS.

No. 1—Two holes, per dozen,	.....55
“ 2— “ and spike, “	.....55
“ 3—Four holes, “	.....60


## CYLINDER DOOR BOLTS.

3 inch, per dozen	.....\$ 37½
4 “ “	.....47
6 “ “	.....77
8 “ “	.....1 10

## FOOT SCRAPERS.

No. 1—Small size, per dozen	.....\$ 80
“ 2—Medium, “	.....1 10
“ 3—Large size, “	.....1 65

# STEELYARDS.



## IMPROVED ENGLISH PATTERN STEELYARDS.

Are made from superior stock and with great care, are sealed and warranted to weigh positively correct. They have always given universal satisfaction, and are not equalled by any other American or imported article for correct weighing and durability.

	<i>Per doz.</i>		<i>Per doz.</i>
50 lbs. Improved English Pattern,	\$7 88	300 lbs. Improved English Pattern,	\$23 63
100 " " " " "	10 13	400 " " " "	31 50
200 " " " " "	16 88	500 " " " "	36 00

### DOUBLE STOPS OR GUARDS,

Are the same class of goods as the English Pattern and Farmers' Steelyards, made with double stops or guards, so that the beam can move but a short distance up or down, to ascertain the true weight. They are sealed, inspected, and will weigh correct.

## STEELYARDS.

50 lbs.....	per dozen, \$ 8 50	300 lbs.....	per dozen, \$24 88
100 ".....	" 10 90	400 ".....	" 32 13
200 ".....	" 17 82	500 ".....	" 37 62

## SINGLE STOPS OR GUARDS,

Are the same as the double stops except that there is no stop to give the beam a limited upward motion.

50 lbs.....	per dozen, \$ 8 18	300 lbs.....	per dozen, \$24 56
100 ".....	" 10 60	400 ".....	" 32 75
200 ".....	" 17 50	500 ".....	" 37 25

## FARMERS' STEELYARDS,

Are equal to the English Pattern for durability and correctness, and like them are sealed and warranted to weigh positively correct.

50 lbs.....	per dozen, \$ 6 25	300 lbs.....	per dozen, \$21 12
100 ".....	" 8 75	400 ".....	" 29 00
200 ".....	" 15 12	500 ".....	" 33 50

## DOUBLE STOPS OR GUARDS.

50 lbs.....	per dozen, \$ 6 88	300 lbs.....	per dozen, \$22 38
100 ".....	" 9 50	400 ".....	" 30 62
200 ".....	" 16 12	500 ".....	" 35 13

## SINGLE STOPS OR GUARDS.

50 lbs.....	per dozen, \$ 6 56	300 lbs.....	per dozen, \$22 00
100 ".....	" 9 25	400 ".....	" 30 25
200 ".....	" 15 75	500 ".....	" 34 75

## BUTCHERS' AND PLANTERS' STEELYARDS,

Are extra heavy goods, made with very heavy bars, clews and pivots, and with two hooks on the long clew; they are designed more particularly for Butchers' use and Southern trade; not liable to be broken or get out of order, and are warranted a perfect weighing Steelyard, each inspected and sealed ready for use.

50 lbs.....	per dozen, \$ 7 88	50 lbs. extra finish, per dozen, \$ 9 00
100 ".....	" 10 13	100 "....." 11 25
150 ".....	" 13 50	150 "....." 14 00

## DOUBLE STOPS OR GUARDS.

50 lbs.....	per dozen, \$ 8 50
100 ".....	" 10 90
150 ".....	" 14 50

## STEELYARDS.

### SINGLE STOPS OR GUARDS.

50 lbs.	.....	per dozen, \$ 8 18
100 "	.....	" 10 60
150 "	.....	" 14 25

### DOUBLE STOPS OR GUARDS—EXTRA FINISH.

50 lbs.	.....	per dozen, \$ 9 62
100 "	.....	" 12 00
150 "	.....	" 15 00

### SINGLE STOPS OR GUARDS—EXTRA FINISH.


50 lbs.	.....	per dozen, \$ 9 37
100 "	.....	" 11 75
150 "	.....	" 14 75

## STEELYARDS—SECOND QUALITY.

This class of Steelyards, having been long known in market, requires no description; they have formerly been cheapened in price and quality, by which many kinds have become of no value for durability or correct weighing. We are now making, and will warrant, a better and more correct weighing Steelyard of this class than ever before offered in market.

	<i>Per doz.</i>		<i>Per doz.</i>
50 lbs. Common Steelyard,.....	\$2 25	100 lbs. Steel Bar, extra heavy,	\$5 06
50 " Imitation "	2 68	150 " " "	6 75
50 " Steel Bar "	3 12	200 " " "	7 88
100 " " "	4 50	250 " " "	9 00
150 " " "	5 94	300 " " "	10 12
200 " " "	6 75	50 " " extra polish,	4 50
250 " " "	7 31	50 " " Collins' Patent,	5 63
300 " " "	8 45	100 " " "	6 75
50 " " extra heavy,	3 94		

## BARNARD'S CYLINDER SPRING BALANCES.




Are durably correct, made of brass, in cylindrical form, and regulated by a screw in the top by which they can always be kept correct.

24 by $\frac{1}{2}$	.....	per dozen, \$3 94
24 by $\frac{1}{4}$	.....	" 6 75
30 by $\frac{1}{4}$	.....	" 7 88



## GATE SPRING, HINGE, &c.



These, together with the self-adjusting hinge and latches, are superior to any in use, not liable to get out of order, and will always give satisfaction.

Gate Spring and Hinge,.....	per dozen, \$	9 00
Gate Spring without Hinge,.....	"	7 88
Gate Latches, Top,.....	"	1 70
Gate Latches, Side,....	"	1 13
Cast Iron Wagon Jacks,.....	"	18 00
No. 1 Quilt-frame Clamps,.....	"	1 13


## BARNARD'S DOOR SPRINGS.



Are well known in market and when properly adjusted are acknowledged to be the best in use.

No. 2 .....	per dozen, \$	5 63
No. 4.....	"	6 75
No. 5 .....	"	7 31

### SELF-ADJUSTING GATE HINGE.



Self-Adjusting Gate Hinge,.....per doz., \$4 50

### COFFEE MILLS, PLANT'S PATTER.

No. 1 Large size with flat or turned Plates,.....per dozen,	\$5 10
No. 1 Large size with flat or turned Plates and cups, “	5 63
No. 2 Medium size with flat or turned Plates, “	3 94
No. 2 Medium size with flat or turned Plates and cups, “	4 50
No. 3 Small size with flat or turned Plates, “	3 38
No. 3 Small size with flat or turned Plates and cups, “	3 94

**SHARON VALLEY**  
**MALLEABLE IRON WORKS.**

---

**HOTCHKISS & SONS,**

GENERAL AGENTS FOR

**JEWETT MANUFACTURING CO.**

MANUFACTURERS OF ALL KINDS OF

**Malleable Iron Castings,**

TO ORDER.






~~~~~  
FOR OTHER GOODS SEE LIST.  
~~~~~

**SHARON VALLEY,**

CONN.

1859.

TWISTED WIRE AND MALLEABLE IRON SNAFFLES AND BRADOONS.



## TWISTED WIRE SNAFFLES, WITH MALLEABLE IRON CHEEKS.

No. 1—Light Pattern, Japanned, per dozen,	-	-	-	75
“ 1— “ “ Tinned, “	-	-	-	75
“ 1— “ “ Bright, “	-	-	-	75
“ 2—Heavy “ Japanned, “	-	-	-	\$1 12½
“ 2— “ “ Tinned, “	-	-	-	1 12½
“ 2— “ “ Bright, “	-	-	-	1 12½

## TWISTED WIRE BRADOONS, WITH MALLEABLE IRON RINGS.

No. 1—Light Pattern, Japanned, per dozen,	-	-	-	65
“ 1— “ “ Tinned, “	-	-	-	65
“ 1— “ “ Bright, “	-	-	-	65
“ 2—Heavy, “ Japanned, “	-	-	-	\$1 05
“ 2— “ “ Tinned, “	-	-	-	1 05
“ 2— “ “ Bright, “	-	-	-	1 05


## MALLEABLE IRON SNAFFLES.

No. 1—Heavy pattern, per dozen,	-	-	-	-	\$1 50
---------------------------------	---	---	---	---	--------



## DOUBLE MOUTH TWISTED WIRE SNAFFLES.

No. 1—Tinned, per dozen,	-	-	-	-	-	\$2 75
“ 3—Japanned, “	-	-	-	-	-	2 75

## WROUGHT IRON HASPS &amp; STAPLES.



## DOUBLE HOOKS.



 MALLEABLE IRON SINGLE AND DOUBLE HOOKS.  
 JAPANNED


7	8	9	10	11	12 inch.
\$1.00.	\$1.12½.	\$1.25.	\$1 37½.	\$1.50.	\$1 62½ per doz.

## FIFTH WHEELS FOR CARRIAGES.

5 inch, per dozen,	-	-	-	-	-	-	\$1 90
5½ " " "	-	-	-	-	-	-	2 06
6 " " "	-	-	-	-	-	-	2 30



# JAPANNED MALLEABLE HOOKS, WITH WROUGHT STAPLES.




3	4	5	6	7 inch.
37½	44	56	62½	75 per dozen.

MALLEABLE IRON FENCE STAPLES, per lb. - - - 10

## MALLEABLE IRON WRENCHES.

	S Wrenches, two sizes, per lb ,	- - -	8½
	Crow Wrenches, two sizes, per lb.,	- - -	8½

## BUGGY WRENCHES.

	No. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10.		
	7, 1, 1½, 1¼, 1⅜, 1½, 1⅝, 1¾, 1⅞, 2in.	per lb.	8½

## SIX SQUARE BUGGY WRENCHES.

1¼, 1½, 1⅝ inch	per lb.	- - - - -	8½
-----------------	---------	-----------	----

## AXLE NUTS FOR IRON AXLES.

SIZES.

No.	1,	2,	3,	4,	5,	6,	7,	8,	9,	10.	
Hole,	½,	⅞,	⅝,	⅞,	¾,	⅞,	1,	1⅛,	1¼,	1⅝in.	} per lb. 8½
Square,	⅞,	1⅝,	1,	1⅛,	1¼,	1⅝,	1⅞,	2,	2in.		
Flange,	1¾,	1¾,	1⅞,	1⅞,	2¼,	2¼,	2¼,	3¼,	3¼,	3¼in.	


## FOR WOOD AXLES.

No.	0,	1,	2,	3,	4,	5.	
Hole,	½,	⅞,	⅝,	⅞,	¾,	⅞in.	} - - per lb. 8½
Square,	1,	1,	1,	1¼,	1¼,	1¼in.	
Flange,	2,	2¼,	2¼,	2⅞,	3,	3in.	

**MALLEABLE IRON GARDEN RAKES,**  
WITHOUT BRACES.

No. 1—10, 12, 14 teeth, per lb., - - - - - 11

**PATENT BRACED RAKES.**



No. 2—10, 12, 14 teeth, per lb., - - - - - 11 $\frac{3}{4}$

**JAPANNED.**


No. 3—10,	12,	14 teeth.
\$2.00,	\$2.25,	\$2.37 $\frac{1}{2}$ per doz.

**JAPANNED AND HANDLED.**

No. 4—10,	12,	14 teeth.
\$3.12 $\frac{1}{2}$ ,	\$3.37 $\frac{1}{2}$ ,	\$3.50 per doz.

**JAPANNED AND HANDLED.**

WITH DOUBLE BRACES.




No. 7—10,	12,	14 teeth.
\$4 62,	\$4.87 $\frac{1}{2}$ ,	\$5.00 per doz.

**POTATO HOOKS.**

4 teeth, per lb. - - - - - 11




# MOUSE AND RAT TRAPS.



## MOUSE TRAPS.

1 hole, per dozen,	"	"	"	"	"	12
2 " "	"	"	"	"	"	24
3 " "	"	"	"	"	"	36
4 " "	"	"	"	"	"	48
5 " "	"	"	"	"	"	60
6 " "	"	"	"	"	"	72

## IMPROVED PATENT YANKEE TRAPS.



Rat Traps, - - - - - per dozen, \$2 50

## WELL WHEELS.



14 inch, - - - - - per doz., \$10 00

14 " with Friction Rollers, - - - - - " 11 12½

---

 BUCKET BAILS.


No. 1, with short ears to attach to the top of the bucket  
per dozen, - - - - - \$1 50

No. 2 with long ears to attach to the bucket  
about three inches below the top ; per doz. 1 75



Improved Hand or Breast Drill Stocks.



These Stocks are made very compact and light, by a new and improved method.